

## **Made to Measure** Steel Water Tanks









# Quality, strength, durability, efficiency & style of steel

Kingspan manufactures and supplies long lasting, quality, made to measure AQUAPLATE® steel water tanks and accessories for Australian homes and businesses. We've been doing it for over 80 years. Tanks come with a 10 year construction warranty\* and 20 year warranty\* against corrosion.





# 20 Year Guarantee\*

- Australian made using quality Bluescope AQUAPLATE<sup>®</sup> Steel
- Tanks meet Australian Standard AS4020 for storage of drinking water and carry watermark certification
- Choose from 4 different steel tank shapes
- Select from a range of dimensions available, or we offer made to measure tanks to perfectly fit your space
- Full range of Colorbond® colours available

### Proudly Australian Made

Your Tank comes with:

- Inlet strainer with light guard
- Fitted overflow with mosquito screen<sup>+</sup>
- Fitted outlet with watermarked brass ball valve
- The ability to select fitting locations on your tank to save time and money on plumbing
- Finished in Galvanised or a Colorbond® colour of your choice
- Delivery to the tank base or concrete pad onsite^
- Industry leading 20 year corrosion warranty\* and 10 year construction warranty\*



Metropolitan delivery to the tank base or concrete pad onsite available – we won't leave the tank on your driveway.^

- ^ Site delivery to Sydney, Melbourne and Brisbane Metro areas included.
- \* All our tanks come with a 10 year construction warranty and 20 year warranty against corrosion.
- + Mosquito screen only comes standard in QLD

# Choose your tank in 5 easy steps

It's important that you get the tank that best suits your particular needs. Kingspan **made to measure** steel water tanks are designed to fit perfectly into your space and lifestyle.



# Select the shape



#### Slimline

A great choice for tight spaces, allowing you to maximise the water storage capacity of the area available. Tailor the length, width and height to perfectly fit the space you have.

Capacities range from 600 litres up to 8,700 litres.

$\sim$

#### Modline

These water tanks have flat ends, giving them a modern look and a smaller footprint than the equivalent capacity Slimline tank. They help maximise water storage capacity in tight spaces and can be tailored to fit as required.

Capacities range from 770 litres up to 9,000 litres.

$\lesssim $
$\geq = \leq$
$\langle \sum \rangle$
$\leq \geq \geq$
$\sum$
$\geq \leq \leq$
$\langle = \rangle$
$\leq \sim \geq$
$\langle - \rangle$

#### Round

Traditional round water tanks remain a popular choice, space permitting. Choose your diameter and height to perfectly fit the space you have.

Capacities range from 500 litres up to 29,000 litres.



#### Square

The square shape gives these tanks a smaller footprint than the equivalent capacity Slimline or Modline tanks.

Capacities range from 530 litres up to 7,900 litres.



Water Management Solutions Rainwater Tanks & Wastewater



### Select the size

Kingspan offers hundreds of sizes and dimension variations across all steel water tanks.

### Slimline

Here are some of our most popular tank sizes in the Slimline range.

Made to measure	2000 Litres*	3000 Litres*
Made to measure	700mmW	800mmW
	1700mmL	2200mmL
	1860mmH	1860mmH
	Tank weight 65kg	Tank weight 90kg
	Good for	Good for
	<ul> <li>336 toilet flushes</li> </ul>	- 509 toilet flushes
A great choice	- 2 hours of	- 3 hours of

A gre for tight spaces, allowing you to maximise the water storage capacity of the area available.

/00mmW	800mmW	1150mmW	1150mmW
1700mmL	2200mmL	2600mmL	3300mmL
1860mmH	1860mmH	1860mmH	2020mmH
Tank weight 65kg	Tank weight 90kg	Tank weight 110kg	Tank weight 145kg
Good for	Good for	Good for	Good for
– 336 toilet flushes	- 509 toilet flushes	– 839 toilet flushes	– 1182 toilet flushes
<ul> <li>2 hours of</li></ul>	<ul> <li>- 3 hours of</li></ul>	<ul> <li>- 5 hours of</li></ul>	<ul> <li>– Hoz tollet hushes</li> <li>– 7 hours of</li></ul>
hand watering	hand watering	hand watering	hand watering
<ul> <li>25 washing</li></ul>	<ul> <li>38 washing</li></ul>	<ul> <li>62 washing</li></ul>	<ul> <li>88 washing</li></ul>
machine loads	machine loads	machine loads	machine loads

5000 Litres\*

1.4/


1100

7000 Litres\*

\ A /

1100

\* Note that maximum capacities differ depending on shape and measurements of tank.



### Modline

These water tanks have flat ends, giving them a modern look and a smaller

footprint than the equivalent capacity Slimline

tank.

Made to measure Here are some of our most popular tank sizes in the Modline range.

2000 Litres*	3000 Litres*	4000 Litres*	5000 Litres*
800mmW	800mmW	800mmW	800mmW
1400mmL	2000mmL	2600mmL	3200mmL
2020mmH	2020mmH	2020mmH	2020mmH
Tank weight 65kg	Tank weight 80kg	Tank weight 105kg	Tank weight 130kg
Good for	Good for	Good for	Good for
- 336 toilet flushes	- 547 toilet flushes	- 668 toilet flushes	- 833 toilet flushes
<ul> <li>2 hours of hand watering</li> </ul>	<ul> <li>3 hours of hand watering</li> </ul>	<ul> <li>4 hours of hand watering</li> </ul>	<ul> <li>5 hours of hand watering</li> </ul>
<ul> <li>25 washing machine loads</li> </ul>	<ul> <li>41 washing machine loads</li> </ul>	<ul> <li>50 washing machine loads</li> </ul>	<ul> <li>62 washing machine loads</li> </ul>

\* Note that maximum capacities differ depending on shape and measurements of tank.

4



### Select the size

Kingspan offers hundreds of sizes and dimension variations across all steel water tanks.

### Round


Traditional round water tanks remain a popular

choice, space permitting.

Mad mea Here are some of our most popular tank sizes in the Round range.

3000 Litres*	5000 Litres*	8000 Litres*	10000 Litres*
1860mmH	1860mmH	1860mmH	1860mmH
1500mmDia	1900mmDia	2400mmDia	2700mmDia
Tank weight 80kg	Tank weight 105kg	Tank weight 145kg	Tank weight 170kg
Good for	Good for	Good for	Good for
- 547 toilet flushes	– 879 toilet flushes	– 1402 toilet flushes	- 1775 toilet flushes
<ul> <li>- 3 hours of</li></ul>	<ul> <li>- 5 hours of</li></ul>	<ul> <li>8 hours of</li></ul>	<ul> <li>10 hours of</li></ul>
hand watering	hand watering	hand watering	hand watering
<ul> <li>41 washing</li></ul>	<ul> <li>65 washing</li></ul>	– 105 washing	<ul> <li>133 washing</li></ul>
machine loads	machine loads	machine loads	machine loads

\* Note that maximum capacities differ depending on shape and measurements of tank.



### Square

gives these tanks a smaller footprint than

the equivalent capacity Slimline or Modline tanks. Here are some of our most popular tank sizes in the Square range.

Made to	2000 Litres*	3000 Litres*	4000 Litres*	5000 Litres*
Made to measure		1300mmW	1500mmW	1700mmW
	2020mmH	2020mmH	2020mmH	2020mmH
	Tank weight 65kg Good for - 336 toilet flushes - 2 hours of hand watering	Tank weight 90kg Good for - 509 toilet flushes - 3 hours of hand watering	Tank weight 105kg Good for - 668 toilet flushes - 4 hours of hand watering	Tank weight 115kg Good for - 960 toilet flushes - 5 hours of hand watering
The square shape gives these tanks a smaller	<ul> <li>25 washing machine loads</li> </ul>	- 38 washing machine loads	- 50 washing machine loads	- 72 washing machine loads

\* Note that maximum capacities differ depending on shape and measurements of tank.



Australian made water tanks using quality Bluescope Steel. Made to measure to work with your space and give you the perfect fit.





	elect a co		s, or go for a Galvanise	ed steel finish.
			Co	<b>Buodie</b>
Galvanised	Pale Eucalypt®	Paperbark®	Woodland Grey®	Monument®
Dune®	Surfmist <sup>®</sup>	Windspray®	Jasper®	Classic Cream®
Cove®	lronstone <sup>®</sup>	Manor Red®	Cottage Green® 	Terrain®
Deep Ocean®	Evening Haze®	Gully™	Basalt <sup>™</sup>	Night Sky®
Shale Grey™	Mangrove™	Wallaby™	have been reproduced t product colours as accu However varying light c	rately as possible. onditions and limitations nay affect colour tones.
·		·		

Water Management Solutions Rainwater Tanks & Wastewater



# Select fitting position

When placing your order you have the option to nominate your fitting locations. The standard fittings available are:



400mm inlet strainer with light guard fitted in tank lid.



OUTLET 25mm zinc outlet with watermarked brass ball valve fitted at the bottom of the corrugation of the tank wall.



#### **OVERFLOW**

90mm (100mm NSW only) overflow with mosquito screen<sup>+</sup> fitted on the top corrugation of the tank wall.

DEFAULT FITTING POSITION	INLETS	OUTLETS	OVERFLOW
SLIMLINE $12 \xrightarrow{2} \xrightarrow{3} \xrightarrow{4} \xrightarrow{5} \xrightarrow{5} \xrightarrow{1} \xrightarrow{1} \xrightarrow{1} \xrightarrow{1} \xrightarrow{1} \xrightarrow{1} \xrightarrow{1} 1$	2 x 400mm inlet strainers with light guards Positions A & C	1 x 25mm fitted outlet with watermarked ball valve Position 6	2 x 90mm (100mm NSW only) fitted overflows Positions 6 and/or 12
MODLINE 2 3 4 5 5 6 7 10 9 8	2 x 400mm inlet strainers with light guards Positions A & C	1 x 25mm fitted outlet with watermarked ball valve Position 6	2 x 90mm (100mm NSW only) fitted overflows Positions 6 and/or 12
ROUND 10 9 9 8 7 6 5 4	1 x 400mm fitted Inlet strainer with light guard Position 12	1 x 25mm fitted outlet with watermarked ball valve Position 1	1 x 90mm (100mm NSW only) fitted overflow Position 12
SQUARE 10  6  12  1  12  1  12  1  10  6  10  10  10  10  10	1 x 400mm fitted Inlet strainer with light guard Position 12	1 x 25mm fitted outlet with watermarked ball valve Position 1	1 x 90mm (100mm NSW only) fitted overflow Position 12

+ Mosquito screen only comes standard in QLD



### Select optional accessories

Select from a range of accessories and pumps including the Evolution MkIII pump and High-flow filter.

#### Kingspan Evolution MkIII integrated pump system

- Offers the advantage of reducing installation time by half and saving costs, while improving the appearance of your tank system.
- Whole unit fits neatly on top of and inside the tank, instead of on the wall, resulting in a more efficient use of space and a better overall appearance.
- When the tank runs out of water or when there is a power outage, the pump automatically switches to mains water.

### High-flow filter

- This innovative High-flow water filtration system is an Australian first, developed and manufactured exclusively by Kingspan.
- Designed to stop the common issue of overflow flooding, or dampness around the tank, the High-flow filter is designed to be the best filtration on the market.
- Has the ability to handle water collection from the entire roof area and can manage water flow rates of up to 600 litres per minute.

### These optional accessories come built into your tank.



#### Quick installation & neater appearance

Kingspan Steel Water Tank + Evo MkIII pump can be installed in half the time of other tank and pump systems, based on average installation time.







#### Can't find what you want?

Visit kingspanwater.com.au/size-a-lator and create a custom water tank in less than 60 seconds with the Kingspan Size-a-lator.



### Water tank order/enquiry form

Enquiry – For an Enquiry, tick this box, fill in the Customer Details and send this form to sales.au@kingspan.com OR

٩p

Order – Email completed order form with copy of the purchase order to sales.au@kingspan.com

01 SH	HAPE (Refer to page 2)			
	Slimline	Modline	Round	Square
12	$\begin{array}{c} 2 \\ 3 \\ 4 \\ 5 \\ 6 \\ 7 \\ 10 \\ 9 \\ 8 \\ 7 \\ 7 \\ 8 \\ 7 \\ 7 \\ 8 \\ 7 \\ 7 \\ 7 \\ 7 \\ 7 \\ 7 \\ 7 \\ 7 \\ 7 \\ 7$	$12 \qquad \qquad$		
02 SI Width	IZE (Refer to page 3)	Length	Height	
03 C Galvar	COLOUR (Refer to page 4) nised OR	Colorbond® Colour		
Inlets	ITTINGS POSITION (Refer	to page 7) Outlets Default position <b>OR</b>	Overflow Default p	position <b>OR</b>
Evoluti <b>OR</b> Ot	CCESSORIES (Refer to page ion MkIII Integrated Pump Syste ther:	m* High-flow Filte	er*	
06 C Dat		Purchas		
		Orde	er	
Nam		Sit. Addres		
Emo	ail			
Phor	ne	Specie		
Mobi	ile		5	

# Made To Measure

A made to measure steel water tank maximises water storage capacity in any space.







#### OUR LOCATIONS

We manufacture at each of our three locations:

#### SYDNEY

02 8889 5400 3 Herbert Place Smithfield NSW 2164

Deniliquin Warehouse/Depot Lot 2 Wakool Road Deniliquin NSW 2710

#### MELBOURNE

03 8364 0800 860 Cooper Street Somerton VIC 3062

#### BRISBANE

07 3089 1000 93 Magnesium Drive Crestmead QLD 4132

#### PERTH

14 Ballantyne Road Kewdale WA 6106



sales.au@kingspan.com



#### **PRODUCT WARRANTY\***

With a Kingspan tank, you can rest assured that you have support for the long term. Kingspan Environmental Pty Limited warrants the AQUAPLATE® range of steel water tanks as follows:

- 20 year minimum life prior to perforation due to corrosion, as detailed in the AQUAPLATE<sup>®</sup> product warranty\*.
- 10 year construction warranty\* covering the assembly and sealing of the tank.











ASSOCIATION