Water Management Solutions Urban Water Tanks Australia

Made to Measure Steel Water Tanks

Urban Water Tanks / Pumps / Accessories



kingspanwatertanks.com.au

Quality, strength, durability, efficiency & style of steel

Kingspan manufactures and supplies long lasting, quality, made to measure AQUAPLATE® steel water tanks and accessories for Australian homes and businesses. We've been doing it for over 85 years. Tanks come with a 10 year construction warranty and 20 year warranty against corrosion.





20 Year Guarantee*

For total peace of mind

- Australian made using quality Bluescope AQUAPLATE® Steel
- Tanks meet Australian Standard AS4020 for storage of drinking water and are built with WaterMark certified materials
- Choose from 4 different steel tank shapes
- Select from a range of popular tank sizes, or choose your own dimensions to build a custom tank perfect for your space
- Full range of Colorbond® colours available



Metropolitan delivery to the tank base or concrete pad onsite available – we won't leave the tank on your driveway.^

Proudly Australian Made

Your Tank comes with:

- Inlet strainer with light guard
- Fitted overflow with mosquito screen+
- Fitted outlet with WaterMarked brass ball valve
- The ability to select fitting locations on your tank to save time and money on plumbing
- Finished in Galvanised or a Colorbond® colour of your choice
- Delivery to the tank base or concrete pad onsite^
- Industry leading 20 year corrosion warranty* and 10 year construction warranty*

- * All our tanks come with a 10 year construction warranty and 20 year warranty against corrosion.
- + Mosquito screen only comes standard in QLD

 $^{^{\}rm A}$ Site delivery to Sydney, Melbourne and Brisbane Metro areas included.


Choose your tank in 5 easy steps

It's important that you get the tank that best suits your unique space and needs. Kingspan **made to measure** steel water tanks are designed to fit perfectly into your space and lifestyle.

1 Select the shape

Slimline


Tank capacities 600-10,000 litres



A great choice for tight spaces, allowing you to maximise the water storage capacity of the area available. Tailor the length, width and height to perfectly fit the space you have.

Modline

Tank capacities 770-10,000 litres




These water tanks have flat ends, giving them a modern look and a smaller footprint than the equivalent capacity Slimline tank.

They help maximise water storage capacity in tight spaces and can be tailored to fit as required.

Round


Tank capacities 500-29,000 litres



Traditional round water tanks remain a popular choice, space permitting. Choose your diameter and height to perfectly fit the space you have.

Square

Tank capacities 530-7,900 litres



The square shape gives these tanks a smaller footprint than the equivalent capacity Slimline or Modline tanks.





Select the size

Kingspan offers hundreds of sizes and dimension variations across all steel water tanks.



Slimline



A great choice for tight spaces, allowing you to maximise the water storage capacity of the area available. Here are some of our most popular tank sizes in the Slimline range.

2000*	3000*	5000*	7000*	
700	800	1150	1150	
1700	2200	2600	3300	
1860	1860	1860	2020	
65	90	110	145	
Good for:				
336	509	839	1182	
2 hours	3 hours	5 hours	7 hours	
25	38	62	88	
	700 1700 1860 65 336 2 hours	700 800 1700 2200 1860 1860 65 90 336 2 hours 3 hours	700 800 1150 1700 2200 2600 1860 1860 1860 65 90 110 336 509 2 hours 3 hours 5 hours	

* Note that maximum capacities differ depending on shape and measurements of tank.



Modline

5	\geq
2	\sim
$\leq = =$	
2	\sim
\langle	\leq
<pre>></pre>	\sim
2	
	\leq

These water tanks have flat ends, giving them a modern look and a smaller footprint than the equivalent capacity Slimline tank. Here are some of our most popular tank sizes in the Modline range.

Tank capacities (litres)	2000*	3000*	4000*	5000*
Width (mm)	800	800	800	800
Length (mm)	1400	2000	2600	3200
Height (mm)	2020	2020	2020	2020
Weight (kg)	65	80	105	130
Good for:				
Toilet flushes	336	547	668	833
Hand watering	2 hours	3 hours	4 hours	5 hours
Washing machine loads	25	41	50	62
* Note that maximum canacities differ depending on shape and measurements of tank				

Modline in Galvanised finish

Note that maximum capacities differ depending on shape and measurements of tank.



₽ Select the size

Kingspan offers hundreds of sizes and dimension variations across all steel water tanks.



Round


$\langle -$	
$s \equiv$	>
$\rangle =$	
$\geq =$	S
5-	>
$S \equiv$	<
$\geq -$	
$\geq =$	S

Traditional round water tanks remain a popular choice, space permitting.

Here are some of our most popular tank sizes in the Round range.

Tank capacities (litres)	3000*	5000*	8000*	10000*
Height (mm)	1860	1860	1860	1860
Diameter (mm)	1500	1900	2400	2700
Weight (kg)	80	105	145	170
Good for:				
Toilet flushes	547	879	1402	1775
Hand watering	3 hours	5 hours	8 hours	10 hours
Washing machine loads	41	65	105	133

* Note that maximum capacities differ depending on shape and measurements of tank.



Square in Galvanised finish

Square

The square shape gives these tanks a smaller footprint than the equivalent capacity Slimline or Modline tanks.

Here are some of our most popular tank sizes in the Square range.

Tank capacities (litres)	2000*	3000*	4000*	5000*
Width (mm)	1100	1300	1500	1700
Height (mm)	2020	2020	2020	2020
Weight (kg)	65	90	105	115
Good for:				
Toilet flushes	336	509	668	960
Hand watering	2 hours	3 hours	4 hours	5 hours
Washing machine loads	25	38	50	72

* Note that maximum capacities differ depending on shape and measurements of tank.



step 2	Choose I	PCT () C(rom a huge range a Galvanised steel	of Colorbond ⁻ colours,	Co	olerbon [®] d
Galvanised		Pale Eucalypt®	Paperbark®	Woodland Grey®	Monument®
Dune®		Surfmist®	Windspray®	Jasper®	Classic Cream®
Cove®		Ironstone®	Manor Red®	Cottage Green®	Terrain®
Deep Ocean	®	Evening Haze®	Gully™	Basalt™	Night Sky®
Shale Grey [™]		Mangrove™	Wallaby™	have been reproduce product colours as ac However varying ligh of the printing proces	

£4 Select fitting position

When placing your order you have the option to nominate your fitting locations. The standard fittings available are:



400mm inlet strainer with light guard fitted in tank lid.



OUTLET

25mm zinc outlet with watermarked brass ball valve fitted at the bottom of the corrugation of the tank wall.



OVERFLOW

100mm overflow with mosquito screen⁺ fitted on the top corrugation of the tank wall.

Default fitting position	Inlets	Outlets	Overflow
SLIMLINE $12 \xrightarrow{2} \xrightarrow{3} \xrightarrow{4} \xrightarrow{4} \xrightarrow{5} \xrightarrow{5} \xrightarrow{1} \xrightarrow{1} \xrightarrow{1} \xrightarrow{1} \xrightarrow{1} \xrightarrow{1} \xrightarrow{1} 1$	2 x 400mm inlet strainers with light guards Positions A & C	1 x 25mm fitted outlet with watermarked ball valve Position 6	100mm fitted overflows Positions 6 and/or 12
MODLINE 12 12 10 10 10 10 10 10 10 10 10 10	2 x 400mm inlet strainers with light guards Positions A & C	1 x 25mm fitted outlet with watermarked ball valve Position 6	2 x 100mm fitted overflows Positions 6 and/or 12
ROUND 9 9 9 7 5	1 x 400mm fitted Inlet strainer with light guard Position 12	1 x 25mm fitted outlet with watermarked ball valve Position 1	100mm fitted overflow Position 12
SQUARE 10 9 9 10 12 10 12 1 10 12 1 12 1 2 9 1 1 2 1 4 5 5	1 x 400mm fitted Inlet strainer with light guard Position 12	1 x 25mm fitted outlet with watermarked ball valve Position 1	100mm fitted overflow Position 12

+ Mosquito screen only comes standard in QLD

5 Select optional accessories

Select from a range of accessories and pumps including the Evolution MkIII pump and High-flow filter.

Kingspan Evolution MkIV integrated pump system

- Offers the advantage of reducing installation time by half and saving costs, while improving the appearance of your tank system.
- Whole unit fits neatly on top of and inside the tank, instead of on the wall, resulting in a more efficient use of space and a better overall appearance.
- When the tank runs out of water or when there is a power outage, the pump automatically switches to mains water.

High-flow filter

- This innovative High-flow water filtration system is an Australian first, developed and manufactured exclusively by Kingspan.
- Designed to stop the common issue of overflow flooding, or dampness around the tank, the High-flow filter is designed to be the best filtration on the market.
- Has the ability to handle water collection from the entire roof area and can manage water flow rates of up to 600 litres per minute.

These optional accessories come pre-built into your tank.



*MkIII version shown here

Quick installation & neater appearance

Kingspan Steel Water Tank + Evo MkIV pump can be installed in half the time of other tank and pump systems, based on average installation time.









Build your

Choose from a range of popular tank sizes at k**ingspanwatertanks.com.au** or build your own using our **3D tank builder** tool and create a custom water tank in less than 60 seconds.



Water tank order/enquiry form

Enquiry – For an Enquiry, tick this box, fill in the Customer Details and send this form to sales.au@kingspan.com OR

οp


Order - Email completed order form with copy of the purchase order to sales.au@kingspan.com

01 SHAPE (Refer to page 2)			
Slimline	Modline	Round	Square
$12 \underbrace{\begin{array}{c} 2 \\ 0 \\ 12 \\ 11 \\ 10 \end{array}}_{10} \underbrace{\begin{array}{c} 2 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\$			11 12 1 10 ••• •• ••• ••• ••• ••• ••• ••• •• •• •• ••• •• •• ••• •• •• • ••• ••• ••• • • • •
02 SIZE (Refer to page 3) Width	Length	Height	
03 COLOUR (Refer to page 4) Galvanised OR	Colorbond® Colour		
04 FITTINGS POSITION (Re Inlets Default position OR	efer to page 7) Outlets Default position OR	Overflow Default p	osition OR
05 ACCESSORIES (Refer to p	age 8)		
Evolution MkIII Integrated Pump Sy OR Other:	rstem* High-flow	Filter*	

*only available as an option for Kingspan Made to Measure Tanks.

06 CUSTOMER DETAILS

Date	Purchase Order	
Name	Site Address	
Email		
Phone	Special Instructions	
Mobile		



Need a larger tank?

Ask about Kingspan's Rhino & Heritage Commercial and Rural range of water tanks – 26,000 to 365,000 litres and up to 2.3 million litres on custom commercial tanks.

OUR LOCATIONS

We manufacture at each of our three locations:

SYDNEY

02 8889 5400 3 Herbert Place Smithfield NSW 2164

Deniliquin Warehouse/Depot Lot 2 Wakool Road Deniliquin NSW 2710

MELBOURNE 03 8364 0800

BRISBANE

07 3089 1000 Unit 2/59 Link Drive Yatala QLD 4207

PERTH

54 Collopy Road Hazelmere WA 6105

1300 736 562

kingspanwatertank.com.au sales.au@kingspan.com

We take every care to ensure that the information in this document is accurate at the point of publication. Technical references, AS/NZS standards and compliances may vary to suit our customers' requirements, scope of work, request for quate and our ability to comply as far as reasonably practical with standards listed and, standards which may cross reference. Specification may vary (within a small parameter) due to manufacturing process variations or environmental conditions. All images are for illustration purposes only and should not be taken as binding. The actual product may vary, and specification/ dimensions/colour/ other attributes may differ.

To ensure you are viewing the most recent and accurate product information, please visit this link: https://www.kingspanwatertanks.com.au/urbanwater-tanks-brochure

®Kingspan and the Lion Device are Registered Trademarks of the Kingspan Group plc in the UK, Ireland and other countries. All rights reserved. Registered in Country No.NI017631. Registered Office: 180 Gilford Road, Portadown, Co. Armagh, BT63 5LF. VAT GB412 5124 03



PRODUCT WARRANTY

With a Kingspan tank, you can rest assured that you have support for the long term. Kingspan Water & Energy Pty Limited warrants the AQUAPLATE® range of steel water tanks as follows:

- 20 year minimum life prior to perforation due to corrosion, as detailed in the AQUAPLATE[®] product warranty.
- 10 year construction warranty covering the assembly and sealing of the tank.









AUSTRALIAN[⊕] WATER

ASSOCIATION

