



## Australian Made Rural Water Tanks

ZINCALUME® and COLORBOND®  
26,000L–365,000L

Build your 3D tank online.



[kingspanwatertanks.com.au](https://kingspanwatertanks.com.au)

 **Kingspan** **WATER TANKS**



# Steel corrugated tanks

Kingspan tanks range from 26,000L–365,000L and are built tough in genuine BlueScope Steel to suit the harsh Australian conditions. Available in ZINCALUME® or in the full range of genuine COLORBOND® colours, all tanks come with a unique 7 layer liner making them ideal for rural applications. Tanks are Australian made and come with a 20 year conditional warranty.

## Tank sizes



Model	Capacity for 2.2m high tanks*		Tank Diameter	Pad Diameter
	Litres	Gallons		
RT-25	26,062	5,792	3.88	5.5
RT-40	40,723	9,049	4.85	6.5
RT-60	58,640	13,031	5.82	7.5
RT-80	79,816	17,737	6.79	8.5
RT-100	104,250	23,167	7.76	9.5
RT-130	131,941	29,320	8.73	10.5
RT-160	162,890	36,198	9.71	11.5
RT-200	197,097	43,799	10.68	12.5
RT-230	234,562	52,125	11.65	13.5
RT-275	275,284	61,174	12.62	14.5
RT-310*	309,235	68,710	11.65m (2.9m h)	13.5
RT-365*	362,979	80,639	12.62m (2.9m h)	14.5



NOTE: Sizes listed are gross capacities. Effective capacities vary depending on the size and position of inlets and outlets.

\*RT-310 and RT-365 are 2.9m high

### Standard Inclusions

Aqua-King tank liner, full COLORBOND® range, BlueScope steel corrugated wall and roof sheets, tank inlet, 50mm outlet and ball valve, removable internal/external ladder, lockable access hatch, 100mm bell mouth overflow, magnesium anodes for corrosion protection, 20 year conditional warranty.

### Optional Extras

Tank level gauge, dust and vermin proofing seal, additional outlets and valves, firefighting outlets, 150mm bell mouth overflows, 50mm scour drain, HiFlow deep leaf basket and more!



1800 632 410

kingspanwatertanks.com.au



# Steel Corrugated and Streamline tanks

Kingspan tanks range from 27,000L–353,000L and are built tough in genuine BlueScope Steel to suit the harsh Australian conditions. Available in ZINCALUME® or in a range of genuine COLORBOND® colours, all tanks come with a unique 7 layer liner making them ideal for rural applications. Tanks are Australian made and come with a 20 year conditional warranty.

## Tank sizes



CHOOSE FROM

### Corrugated profile

Tank code	Litres	Height	Diameter
<b>CT6</b>	27,396	2.27	3.92
<b>CT9</b>	39,383	2.27	4.70
<b>CT12</b>	53,735	2.27	5.49
<b>CT15</b>	69,866	2.27	6.26
<b>CT20</b>	88,864	2.27	7.06
<b>CT25</b>	109,584	2.27	7.84
<b>CT30</b>	132,781	2.27	8.63
<b>CT35</b>	157,868	2.27	9.41
<b>CT41</b>	184,761	2.27	10.18
<b>CT48</b>	215,333	2.27	10.99
<b>CT54</b>	246,984	2.27	11.77
<b>CT60</b>	280,804	2.27	12.55
<b>CT70</b>	315,843	2.27	13.31
<b>CT80</b>	353,947	2.27	14.09

### Streamline profile

Tank code	Litres	Height	Diameter
<b>HGT55</b>	54,682	2.31	5.49
<b>HGT75</b>	71,097	2.31	6.26
<b>HGT90</b>	90,430	2.31	7.06
<b>HGT110</b>	111,515	2.31	7.84
<b>HGT135</b>	135,121	2.31	8.63
<b>HGT160</b>	160,650	2.31	9.41
<b>HGT188</b>	188,017	2.31	10.18
<b>HGT220</b>	219,128	2.31	10.99
<b>HGT250</b>	251,336	2.31	11.77
<b>HGT285</b>	285,752	2.31	12.55

### Standard Inclusions

Aqua-King tank liner, full COLORBOND® range, BlueScope steel corrugated wall and roof sheets, tank inlet, 50mm outlet and ball valve, removable internal/external ladder, lockable access hatch, 100mm bell mouth overflow, magnesium anodes for corrosion protection, 20 year conditional warranty.

### Optional Extras

Tank level gauge, unique roof catchment gutter, dust and vermin proofing seal, additional outlets and valves, firefighting outlets, 150mm bell mouth overflows, 50mm scour drain, HiFlow deep leaf basket and more!

1800 115 552

kingspanwatertanks.com.au



Use this formula to calculate how much rainwater you can harvest from your roof (catchment area)

### Total Rainwater Harvested

L

[illegible]

**AUSTRALIAN<sup>®</sup>**  
**WATER**  
—  
ASSOCIATION



**Kingspan**® **WATER TANKS**